

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	50	((RT-45) and (AUI BNC)) ((AUI) and (RT-45 BNC)) ((BNC) and (AUI RT-45)))	US-PGPUB; USPAT	OR	ON	2008/01/18 14:53
S3	1441588	((((RT-45) and (AUI BNC)) ((AUI) and (RT-45 BNC)) ((BNC) and (AUI RT-45))) combointerface combo?interface combo-interface (combination near2 interface) (combo near2 interface) (network ner2 interface))	US-PGPUB; USPAT	OR	ON	2008/01/23 08:07
S4	2698	((((RT-45) and (AUI BNC)) ((AUI) and (RT-45 BNC)) ((BNC) and (AUI RT-45))) combointerface combo?interface combo-interface (combination near2 interface) (combo near2 interface) (network ner2 interface)) and (RT-45 (RT-45) RT45 AUI BNC)	US-PGPUB; USPAT	OR	ON	2008/01/18 13:44
S5	747	S4 and ("802"\$4)	US-PGPUB; USPAT	OR	ON	2008/01/18 13:11
S6	361	S5 and (transceiver transceivor)	US-PGPUB; USPAT	OR	ON	2008/01/18 13:11
S7	56	S6 and (BERT (bit near5 test\$5))	US-PGPUB; USPAT	OR	ON	2008/01/18 13:09
S8	415	S4 and (("802"\$4) with IEEE)	US-PGPUB; USPAT	OR	ON	2008/01/18 13:47
S9	277	S8 and (transceiver transceivor)	US-PGPUB; USPAT	OR	ON	2008/01/18 13:48
S10	430	((((RT-45) and (AUI BNC)) ((AUI) and (RT-45 BNC)) ((BNC) and (AUI RT-45))) combointerface combo?interface combo-interface (combination near2 interface) (combo near2 interface) (network near2 interface)) and (RT-45 (RT-45) RT45 AUI BNC) and (interface near5 (two number multitude several plurality))	US-PGPUB; USPAT	OR	ON	2008/01/18 14:49
S11	200	S10 and (("802"\$4) with IEEE)	US-PGPUB; USPAT	OR	ON	2008/01/18 14:49
S12	129	S11 and (transceiver transceivor)	US-PGPUB; USPAT	OR	ON	2008/01/18 13:48

EAST Search History

S13	755	(((((RT?45) and (AUI BNC)) ((AUI) and (RT?045 BNC)) ((BNC) and (AUI RT?45))) combointerface combo?interface combo-interface (combination near2 interface) (combo near2 interface) (network near2 interface)) and (RT-45 (RT?45) RT45 AUI BNC)	US-PGPUB; USPAT	OR	ON	2008/01/18 14:53
S14	39444	(((((RT?45) and (AUI BNC)) ((AUI) and (RT?045 BNC)) ((BNC) and (AUI RT?45))) combointerface combo?interface combo-interface (combination near2 interface) (combo near2 interface) (network near2 interface)) and (interface near5 (two number multitude several plurality))	US-PGPUB; USPAT	OR	ON	2008/01/18 14:49
S15	4819	S14 and (("802"\$4) with IEEE)	US-PGPUB; USPAT	OR	ON	2008/01/18 14:50
S16	1884	S14 and (("802.3"\$4) with IEEE)	US-PGPUB; USPAT	OR	ON	2008/01/18 14:54
S17	417	((((RJ-45 RJ?45 RJ45) and (AUI BNC)) ((AUI) and (RJ-45 RJ?45 RJ45 BNC)) ((BNC) and (AUI RJ-45 RJ?45 RJ45)))	US-PGPUB; USPAT	OR	ON	2008/01/18 15:51
S18	65	S17 and (("802.3"\$4) with IEEE)	US-PGPUB; USPAT	OR	ON	2008/01/18 17:21
S19	36	S18 and (network adj interface)	US-PGPUB; USPAT	OR	ON	2008/01/18 15:10
S20	400	((((RJ-45 RJ?45 RJ45) and (AUI BNC)) ((AUI) and (RJ-45 RJ?45 RJ45 BNC)) ((BNC) and (AUI RJ-45 RJ?45 RJ45))) and (network ((network near2 interface) NIC) ethernet communicat\$4)	US-PGPUB; USPAT	OR	ON	2008/01/18 17:30
S21	258	((((RJ-45 RJ?45 RJ45) and (AUI BNC)) ((AUI) and (RJ-45 RJ?45 RJ45 BNC)) ((BNC) and (AUI RJ-45 RJ?45 RJ45))) same (network ((network near2 interface) NIC) ethernet communicat\$4)	US-PGPUB; USPAT	OR	ON	2008/01/18 16:10
S22	48	S21 and (("802.3"\$4) with IEEE)	US-PGPUB; USPAT	OR	ON	2008/01/18 17:21
S23	6	((((RJ-45 RJ?45 RJ45) and (AUI BNC)) ((AUI) and (RJ-45 RJ?45 RJ45 BNC)) ((BNC) and (AUI RJ-45 RJ?45 RJ45))) and (programmable near2 (pin pad port connection link))	US-PGPUB; USPAT	OR	ON	2008/01/18 17:30
S24	711	(programmable near2 (pin pad)) and (network ((network near2 interface) NIC) ethernet)	US-PGPUB; USPAT	OR	ON	2008/01/18 17:31

EAST Search History

S25	60	S24 and (programmable near2 (pin pad)) same (network ((network near2 interface) NIC) ethernet)	US-PGPUB; USPAT	OR	ON	2008/01/18 17:35
S26	1	"20040117698"	US-PGPUB; USPAT	OR	ON	2008/01/18 17:48
S27	29	((MDIO near3 (management adj data)) with (pin pad port))	US-PGPUB; USPAT	OR	ON	2008/01/18 17:49
S28	105	((((MDIO near3 (management adj data)) MDIO) with (pin pad port))	US-PGPUB; USPAT	OR	ON	2008/01/18 18:33
S29	50	((((MDIO near3 (management adj data)) MDIO) with (pin? pad? port?))	US-PGPUB; USPAT	OR	ON	2008/01/18 17:51
S30	64	((((MDIO near3 (management adj data)) MDIO) with (pin pad port)) and Transceiver	US-PGPUB; USPAT	OR	ON	2008/01/18 18:34
S31	64	((((MDIO near3 (management adj data)) MDIO) with (pin pad port)) and Transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:35
S32	50	((((MDIO near3 (management adj data)) MDIO) near3 (pin pad port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 18:35

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	("4627070" "4833605" "4833695" "4967201" "5726991" "5793990" "5933021" "6081570" "6140956" "6259693" "6137734" "6317804" "6438717" "6483849" "7032139" "7035228" "20010012288" "20010015664" "20010021953" "20010017595" "20020054569" "20030009307" "20030048781" "20030120791" "20030172332" "20040083077" "20040088443" "20040141497" "20040141531" "20050190690" "20060250985").pn.	US-PGPUB; USPAT	OR	ON	2008/01/23 09:02
L2	7	1 and "802"\$3	US-PGPUB; USPAT	OR	ON	2008/01/23 09:03
L3	6	1 and (mdio (management near2 data))	US-PGPUB; USPAT	OR	ON	2008/01/23 09:05
L4	5	1 and ((programmable program\$5) near3 (pin pad port))	US-PGPUB; USPAT	OR	ON	2008/01/23 09:05